


## For more details, contact Toll Free No: 1800 102 1800, 1800 1800 180


Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kuni, New Delhi 110070, Tel.011-46781000.


















































\*Actual screen content may vary basis software update. The logos shown are trademarks of the company.












Feel protected with the strong
Heartect Platform, strengthened by an
impact-absorbing structure. It assures
you safety and stability.













FEATURE LIST		VARIANTS						
Grade Name		Std.	LXi	VXi MT / VXi AGS	VXi+ MT / VXi+ AGS			
INTERIORS	Dynamic Centre Console	√	√	√	√			
	High Seating for commanding drive view	√	√	√	√			
	Coloured Centre Garnish	-	-	-	Silver / Orange in Sizzle orange body color			
	Front Cabin Lamp (3 positions)	√	√	√	√			
	Sunvisor (Dr+Co. Dr)	0	√	√	√			
COMFORT	AC with Heater	-	√	√	√			
	Power Steering	-	√	√	√			
	Accessory Socket	-	-	√	√			
	Front Console Utility Space	√	√	√	√			
	1L Bottle Holders with Map Pockets (front doors)	√	√	√	√			
	Rear Console Utility Space	√	√	√	√			
	Co-Driver Side Utility Space	√	√	√	√			
	Reclining & Front Sliding Seats	√	√	√	√			
	Remote keyless entry	-	-	√	√			
	Rear Parcel Tray	-	-	-	√			
	Front Power Windows	-	-	√	√			
	Internally Adjustable ORVMs (Dr+Co. Dr)	-	-	-	√			
INFOTAINMENT SYSTEM	SmartPlay Studio - 17.78 cm Touch Screen Infotainment System	-	-	-	√			
	SmartPlay Dock	-	-	√	-			
	Apple CarPlay and Android Auto	-	-	-	√			
	Bluetooth	-	-	√	√			
	Speakers	-	-	2	2			
	USB connectivity/Aux	-	-	√	√			
	Steering-Mounted Audio & Voice Control	-	-	-	√			
SAFETY AND SECURITY	HEARTECT Platform	√	√	√	√			
	Driver side Airbag	√	√	√	√			
	ABS with EBD	√	√	√	√			
	Seat belt reminder (Dr+Co. Dr) with Buzzer	√	√	√	√			
	Reverse Parking Sensors	√	√	√	√			
	Speed Alert System <sup>^</sup>	√	√	√	√			

FEATURE LIST				VARIANTS		
Grade Name		Std.	LXi	VXi MT / VXi AGS	VXi+ MT / VXi+ AG	
SAFETY AND SECURITY	Pedestrian protection	√	√	√	√	
	Crash compliance	√	√	√	√	
	Immobiliser	√	√	√	√	
	Child Proof Rear Door Lock	√	√	√	√	
	Speed Sensitive Auto Door Lock	-	-	√	√	
	Central Door Locking	-	-	√	√	
	Passenger side Airbag	0	0	0	√	
	Seatbelt Pre-tensioner and Force Limiter (Dr+Co. Dr)	0	0	0	√	
	Low Fuel Warning (In SmartPlay Studio)	-	-	-	√	
	Door Ajar Warning (In SmartPlay Studio)	-	-	-	√	
	Parking Brake Warning	-	-	-	√	
EXTERIOR	SUV Inspired Bold Front Fascia	√	√	√	√	
	Twin Chamber Headlamps	√	√	√	√	
	Roof Antenna	-	-	√	√	
	Signature C shaped Tail Lamps	√	√	√	√	
	B-Pillar Black out Tape	-	-	-	√	
	Side Body Cladding	√	√	√	√	
	Body Coloured Bumpers	-	-	√	√	
	Body Coloured ORVMs	-	-	-	√	
	Body Coloured Outside Door Handles	-	-	-	√	
	Full Wheel Covers	-	-	√	√	
INSTRUMENT CLUSTER	Digital Display in the Instrument Cluster	√	√	√	√	
	Fuel Consumption (Instantaneous & Average)	-	-	√	√	
	Headlamp On Warning	-	-	√	√	
	Gear Shift Indicator (MT only)	-	-	√	√	
	Gear Position Indicator (AGS only)	-	-	√	√	
	Distance to empty	_		√	√	

TECHNICAL SPECIF	ICATION									
					PET	ΓROL				
DIMENSIONS	Length (mm)	3565								
	Width (mm)	1520								
	Height (mm)	1549 (Std., LXi) 1564 (VXi, VXi+)								
	Wheelbase (mm)	2380								
	Turning Radius (m)	4.5								
	Seating Capacity	5								
	Туре	K10B								
	Capacity (cc)	998								
	Compression Ratio		11.0:1							
FNOINE	Bore X Stroke (mm)		73.0 X 79.5							
ENGINE	Power (kW @ RPM)	50 @ 5500								
	Torque (Nm @ RPM)	90 @ 3500								
	Fuel Type	Petrol								
	Fuel Tank Capacity (L)	27								
EMISSION TYPE		BS VI								
DRIVE & TRANSMISSION	Drive	2WD, FF								
	Transmission		5MT / AGS							
BRAKE	Front		Ventilated Disc							
	Rear		Drum							
SUSPENSION	Front		MacPherson Strut with Coil Spring							
	Rear		Torsion Beam with Coil Spring							
	Tyre Size		145/80 R13 (Std., Lxi), 165/70 R14 (Vxi, Vxi+)							
WEIGHT	Kerb Weight (kg)	Variant MT AGS	Std. 726	Std. (O) 730	LXi 737	LXi (O) 740	VXi 758 764	VXi (O) 761 767	VXi+ 763 767	
	Maximum GVW (kg)	700	1170							








#Height = 1549 for Std and LXi variant.

## CHOICE OF COLOURS



## Drive with a mileage of:

21.4<sup>\*</sup> km/l

21.7 km/l 21.7<sup>\*</sup> km/l

VXi MT, VXi+ MT VXi AGS, VXi+ AGS

\*As certified by test agency under rule 115(G) of Central Motor Vehicle Rules, 1989.

## All variants are BS VI compliant.

Std.: Standard, AGS: Auto Gear Shift, MT: Manual Transmission, O: Opt. (available in Std., LXi & VXi variants)

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. ^The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle.